

DYROCON AIRTECH PVT LTD

WELCOMES YOU

Flat no:2A, 4th Floor, Gokul Towers, No: 9 & 10 C.P Ramasamy Road, Alwarpet, CHENNAI - 600018. Tel: 24988007, Telefax: 24671734 Email: info@dyrocon.com Web: www.dyrocon.com





PORTABLE WELDING FUME EXTRACTOR






Why Fume Extraction? Health & safety of employees vital Fume Extraction Systems are a viable & cost effective method for reducing exposure to harmful contaminants, particulates & gases





Internals of Welding Filtration System







Central Filtration Unit

- Serves 2-6 workstations
- Compact: Fits easily under workbenches
- High airflow Fan
- Audible alarm when a filter change-out is required.





RANGE OF PRODUCTS

Туре	Air Volume (M ³ /Hr)	Pressure (mmWg)	Filter Efficiency (%)	Power (Kw)	Filter Area (M ²)	Filter Size (MM)			Voltage
						L	W	н	
HWC-1200	1200	175	99.9	0.75	24	600	480	990	415V
HWC-2000	2500	200	99.9	1.5	24	700	700	1500	415V
HWC-2500	2500	200	99.9	2.2	28	700	800	1600	415V
HWC-3000	3000	200	99.9	3.7	28	800	800	1800	415V



THANK YOU